

TENONS


THE TV / TH SERIES BRACKETS ARE FOR USE WITH SQUARE & SQUARE TAPERED STEEL POLES. THE TV SERIES BRACKETS ARE DESIGNED FOR USE WITH THE 2AF ADJUSTABLE FITTER OR THE P4024D SLIPFITTER. THE TH SERIES IS DESIGNED FOR DIRECT FIXTURE MOUNTING. THE TENON PORTION OF THE MOUNTING BRACKET MEASURE 2 $\frac{3}{8}$ " O.D. x 4" HIGH.

TH-SERIES


TH2180



TH290*



TH390*



TH3120



TH490*




*NOTE: THE TH290, TH490, & TH390 ARE FOR USE WITH 12" & 16" HOUSINGS ONLY.

RV-SERIES


RV2

EPA .9




RV3

EPA 1.4




RV3120

EPA 2.2




RVC4

EPA 2.2




RV4

EPA 2.0




TV-SERIES



RTB SERIES

THE RTB SERIES TENONS ARE FOR USE WITH 6 - 12" WOODEN POLES. THIS LINE OF MOUNTING BRACKETS IS DESIGNED FOR USE WITH THE 2AF ADJUSTABLE FITTER. THE TENON PORTION OF THE MOUNTING BRACKET MEASURES 2-3/8" O.D.



TECHNICAL DATA




Mounting Specifications

FOR 12", 16", & 22" HOUSING REQUIRING 2AF. FIXTURES MOUNTED TO THESE BRACKETS CAN BE ADJUSTED VERTICALLY.

*NOTE: THE TH290, TH490, & TH390 ARE FOR USE WITH 12" & 16" HOUSINGS ONLY.

OTHER HOUSING AND ARM CONFIGURATIONS ARE AVAILABLE. PLEASE CONTACT YOUR DALLAS POLE REPRESENTATIVE FOR MORE INFORMATION.

BH-SERIES



BULLHORNS

LLAS P




ADAPTERS

Dallas Pole offers a complete line of pole adapters and accessories for your specific lighting needs. Dallas Pole also has the ability to custom fit or design adapters.

POLE MOUNT ADAPTERS


PMV

POLE MOUNT VERTICLE
(4" sq. ALUMINUM) EPA .3




PMVS18

EXTENDED POLE MOUNT
VERTICLE
(4" sq. STEEL) EPA .5




PMH

POLE MOUNT HORIZONTAL
(STEEL)




WPB

WOOD POLE BRACKET
(STEEL) EPA .25



*PTASSA

*PTAVSA
POLE TOP ADAPTER
(STEEL) EPA .4




STANDARD TENON MOUNT FOR STRAIGHT ARMS.
*GALVANIZATION AVAILABLE.

P4024D

STEEL SLIPFITTER

P4025D


With 1/2" THREADED CONDUIT HUB



WALL MOUNT ADAPTERS


WMV

WALL MOUNT VERTICLE
(4" sq. ALUMINUM) EPA .3



WMH

WALL MOUNT HORIZONTAL
(STEEL)



LRFWB

WALL MOUNT LRF FIXTURE

